

## Xi' an Ebos Biotech Co., Ltd.

## Certificate of Analysis

| Product Name: | L-Proline   | Manufacture Date: | 2024-01-03 |
|---------------|-------------|-------------------|------------|
| Batch No.:    | Ebos-240103 | Test Date:        | 2024-01-03 |
| Quantity:     | 1080kgs     | Expiration Date:  | 2026-01-02 |

| ANALYSIS                             |   | SPECIFICATION  |  |                       | RESULTS |  |  |
|--------------------------------------|---|--|--|-----------------------|---------|--|--|
| Appearance                           |   | White crystals or crystalline powder                                   |  | White crystals powder |         |  |  |
| Assay (Dry Basis),%                  |   | 98.5~101.5   |  |                       | 99.51   |  |  |
| Specific optical rotation [a] 25 D   |   | -84.3° ~ -86.3°  |  |                       | -85.32  |  |  |
| Chloride (as CI),%                   |   | 0.05   |  |                       | <0.05   |  |  |
| Sulphate (as SO <sub>4</sub> ),% max |   | 0.03   |  |                       | <0.03   |  |  |
| Iron (as Fe),%                       |   | 0.003  |  |                       | <0.003  |  |  |
| Heavy metals (as Pb),% max           |   | 0.0015   |  |                       | <0.0015 |  |  |
| Loss on drying,% max                 |   | 0.40   |  |                       | 0.23    |  |  |
| Residue on ignition,% max            |   | 0.40   |  | 0.10                  |         |  |  |
| Conclusion                           |   | Conform to the specification of the company.                           |  |                       |         |  |  |
| Storage                              |   | Store in a cool and dry place, keep away from direct strong and freet. |  |                       |         |  |  |
| Shelf Life                           |   | Two years if sealed and store away from direct sun light.              |  |                       |         |  |  |
| Tester 01                            | ( | Checker 06 Authori類位专用章 05   |  |                       |         |  |  |

Fax:86-029-68800045